

**Vehicle-No.: 410019**


## Mercedes-Benz 2540 L ACTROS 6X2 deep-freeze box

**Euro 124.500,00 + Mwst.**

**AVG Trucks GmbH**  
Gwinnerstraße 36  
60388 Frankfurt/M  
Telephone: **+49 (0) 69-942138-0**  
Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de  
http://www.avg-trucks.de

|                                 |                                                                                                                                                                                                              |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Contract structure              | tail-lift Bär 2.000 kg, 2.000 mm. refrigerator Thermo King T-1200R, Diesel + 380 V, Kälteschreiber. double floor loading mit 12 Tragebalken. Caster steering axle entlast- und liftbar. full service history |
| First registration              | 25.11.2020                                                                                                                                                                                                   |
| Mileage                         | 129.800 km                                                                                                                                                                                                   |
| Clearance store room dimensions | 8150 x 2470 x 2590 mm                                                                                                                                                                                        |
| Emission level                  | 6                                                                                                                                                                                                            |
| Engine power                    | 290/394 kW/PS                                                                                                                                                                                                |
| Total weight                    | 26.000 kg                                                                                                                                                                                                    |
| Kerb weight                     | 13.385 kg                                                                                                                                                                                                    |
| Payload                         | 12.615 kg                                                                                                                                                                                                    |
| Wheelbase                       | 5.500 mm                                                                                                                                                                                                     |
| Suspension                      | parabolic/air                                                                                                                                                                                                |
| Operator's cab                  | cab medium length                                                                                                                                                                                            |

### Equipment

|                                                               |
|---------------------------------------------------------------|
| 1G2 12-gear transmission automatic                            |
| 1K8 Closed box with rear-doors and elevation platform         |
| 1KD Doubledecker loading                                      |
| A1D Front axle 8.0 t                                          |
| A4Y Steering Steering Axle, 7,5t, steered, unloaded, liftable |
| B1B Electronic braking system with ABS and ASR                |
| B2A Disk-brakes front- and rearaxle                           |
| B2X Parking brake, electronic                                 |
| B5A Trailer brake, 2-line connections left                    |
| B5L Trailer brake connection Duomatic                         |
| C3H Wheelbase 5.500 mm                                        |
| C6Q Anti roll bar front                                       |
| D0A leather Steering Wheel                                    |
| D1C Driver's suspension seat comfort                          |
| D1N Passenger seat feature                                    |
| D4Y Sun blind, side, driver's side                            |
| D6F Air conditioning                                          |
| D6I Residual heat                                             |
| D6M Hot water heater, cab                                     |
| D7A Thermal insulation in addition                            |
| D7Q Storage, high, on the engine tunnel                       |
| D7Z Storage net on the rear wall                              |
| D8A Roof hatch / vent, roof                                   |
| E3Q Additional socket 24 V / 15 A, passenger's footwell       |
| E3R Power Socket 24 V / 25 A, front passenger footwell        |
| E4W Traction, speed limit 30 km / h                           |
| E6A Trailer socket 24V, 15-pin                                |
| E6Y Reversing alarms combined with hazard lights              |
| E7F Cable remote control for air suspension                   |
| F05 "M" cab, of medium length                                 |

|                                                       |
|-------------------------------------------------------|
| F0T Mercedes star lit                                 |
| F1O M-Cab Classic Space 2,30 m, tunnel 320 mm         |
| F1Q Medium sized cab                                  |
| F2G Cabin width 2.30 m                                |
| F2M Cab, 420 mm height landing                        |
| F2U ClassicSpace                                      |
| F4X Storage compartment outside flap left             |
| F5L Sun visor, exterior, transparent                  |
| F6Q Air horn                                          |
| F6T MirrorCam                                         |
| F6V MirrorCam bracket chrome, lower cover cab color   |
| F8E Locking system with central locking               |
| F8F comfort Lock                                      |
| F8V Light sensor                                      |
| F8W Rain sensor                                       |
| G0K Driving program economy / power                   |
| G0T Predictive Powertrain Control (PPC)               |
| G5G Mercedes PowerShift 3                             |
| H16 Driver's seat heating                             |
| I2E Tires 315/70 R 22.5                               |
| I2F Tires 315/70 R 22.5                               |
| I4C Wheel formula 6x2 ENA                             |
| I6X Air suspension, rear axle                         |
| J2K Speaker, 2-way system                             |
| J2U Navigation system                                 |
| J6C Multimedia cockpit, interactive                   |
| J8Y Pre-equipment for Truck Data Center 7             |
| J9D Pre-installation for toll collection              |
| J9P Pre-equipment and display for up to 4 cameras     |
| JW7 Backup camera                                     |
| K1E Tank 390 liter                                    |
| K3V AdBlue tank 60 liters                             |
| L1A Bi-Xenon headlights                               |
| L1D Automatic high / low beam and cornering light     |
| L1I Fog lights, LED - Daytime running lights          |
| L3Z Headlight washers                                 |
| M2Q Motor OM470, R6, 10,7 l, 290 kW (394 PS), 1900 Nm |
| M5A 2nd generation engine OM470                       |
| M5C Engine version Euro 6, D                          |
| M5V High Performance Engine Brake                     |
| O3B Comfort Package                                   |
| P01 Aluminium sheet in cargo compartment floor        |
| Q1T Front spring 8.0 t, 2-blade                       |
| Q7J Towbar Standard D40, Ringfeder                    |
| S1D Stability Rules Wizard                            |
| S1H Lane keeping assistant                            |
| S1L Alertness assistant                               |
| S1O Traffic sign assistant                            |
| S1R Blind Spot Assist                                 |
| S1W Active Brake Assist 5                             |
| S1Y Tire pressure monitoring system                   |
| S5Z cruise control                                    |
| S6F Sideguard Assist, permanently active              |
| T10 Swivel-type loading door on the right             |

|                                |
|--------------------------------|
| U1W AdBlue pipes, water-heated |
|--------------------------------|

|                                       |
|---------------------------------------|
| V2F Actros S/M cab model generation 5 |
|---------------------------------------|

|                                              |
|----------------------------------------------|
| W2X Weight variant 26.0 t (8.0 / 11.5 / 7.5) |
|----------------------------------------------|

|                |
|----------------|
| Y22 Tool chest |
|----------------|

|         |
|---------|
| Z1H EBS |
|---------|

|                   |
|-------------------|
| Z3Y Metallic-Lack |
|-------------------|

|                                |
|--------------------------------|
| Z99 Vehicle without sparewheel |
|--------------------------------|

|                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------|
| Legal notice: The details of this offer are subject to change. <br/>Subject to prior sale. For sale to businesses only. |
|-------------------------------------------------------------------------------------------------------------------------|