

Vehicle-No.: 503022



Mercedes-Benz 3253 L AROCS 8X4 aspirator

Euro 485.000,00 + Mwst.

AVG Trucks GmbH
 Gwinnerstraße 36
 60388 Frankfurt/M
 Telephone: **+49 (0) 69-942138-0**
 Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de
<http://www.avg-trucks.de>

Contract structure	Caster steering axle entlast- und liftbar. full service history
First registration	26.01.2023
Mileage	16.200 km
Emission level	6
Engine power	390/530 kW/PS
Total weight	32.000 kg
Kerb weight	28.285 kg
Payload	3.715 kg
Wheelbase	4.200 mm
Suspension	parabolic/air
Operator's cab	cab medium length

Equipment

A1E Front axle 9,0 t
A1Y Front axle, straight version
A2G Rear axle, crown wheel 300, planets, 13.4 t
A4Q Trailing axle, 9 t, steered, can be relieved, lifted
A6A Final drive ratio i = 4.571
B1B Electronic braking system with ABS and ASR
B2A Disk-brakes front- and rearaxle
B2X Parking brake, electronic
C2I Wheelbase 4200 mm
C6Q Anti roll bar front
D0A leather Steering Wheel
D1C Driver's suspension seat comfort
D1N Passenger seat feature
D4Z Sun blind side, driver and passenger side
D6F Air conditioning
D6I Residual heat
D6M Hot water heater, cab
D8A Roof hatch / vent, roof
E4B Interface, fleet management system FMS
E4W Traction, speed limit 30 km / h
E6A Trailer socket 24V, 15-pin
E6Y Reversing alarms combined with hazard lights
E7F Cable remote control for air suspension
E9G Preparation for electrical devices
F05 "M" cab, of medium length
F1B M-Cab Classic Space 2,30 m, tunnel 170 mm
F1Q Medium sized cab
F2B Floor variant, tunnel 170 mm
F2G Cabin width 2.30 m
F2N Cab, 600 mm heel height
F2U ClassicSpace

F4X Storage compartment outside flap left
F5L Sun visor, exterior, transparent
F6Q Air horn
F6T MirrorCam
F7D Bumper, middle part towing eyes, coupling jaw
F7Y Cab access left / right to move
F8E Locking system with central locking
F8F comfort Lock
F8V Light sensor
F8W Rain sensor
G0K Driving program economy / power
G0T Predictive Powertrain Control (PPC)
G40 Automatic transmission
G5G Mercedes PowerShift 3
H16 Driver's seat heating
I4R Wheel formula 8x4 ENA
I5G 32.0 ton truck
I6X Air suspension, rear axle
J2K Speaker, 2-way system
J2U Navigation system
J3U Requirement FleetBoard Manager App
J3V Truck Data Center 7
J3Z Axle load measuring device
J6C Multimedia cockpit, interactive
J9D Pre-installation for toll collection
J9P Pre-equipment and display for up to 4 cameras
K1L Tank 430 liters
K3V AdBlue tank 60 liters
L1A Bi-Xenon headlights
L1I Fog lights, LED - Daytime running lights
L2R 2 LED all-round beacons
L3Z Headlight washers
M3E Motor OM471, R6, 12.8 l, 390 kW (530 hp) 2600 Nm
M4X Engine version Euro 6, E
M5B 2nd generation engine OM471
M5V High Performance Engine Brake
N4Z
N6L
N6Z Transmission oil cooling
N7M Motor output back, c, hydraulicpump ISO 7653D
O1T Interior color greige/anthracite
Q1Y Front spring 9.0t, 4-leaf
Q3Z Frame lowering, bellows residual pressure control
Q8D Tow hitch, rear, ring spring
Q8R Crossbeam, reinforced
R2Y Alloy Rims 9:00 X 22.5
R5E Alloy Rims 11.75 X 22.5, VA
R5H Alloy Rims 11.75 X 22.5, NLA
S5Z cruise control
U1W AdBlue pipes, water-heated
W7K Weight variant 37.0 t (9.0/10.5/10.5/8.0)
X3Z ATS warranty according to AGB, 3 years / 250000 km
Y1W Refrigerator, on motor tunnel
Y21 Storage box
Z1H EBS

Z99 Vehicle without sparewheel

Legal notice: The details of this offer are subject to change.
Subject to prior sale. For sale to businesses only.

© 2005 **AVG** Trucks GmbH