

Vehicle-No.: 504021


Mercedes-Benz 1853 LS ACTROS tractor for semi-trailer

Euro 78.500,00 + Mwst.

AVG Trucks GmbH

Gwinnerstraße 36

60388 Frankfurt/M

Telephone: **+49 (0) 69-942138-0**

Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de

<http://www.avg-trucks.de>

Contract structure	ADR/GGVs Gefahrgut Typklasse FL, inklusive EX/II, EX/III und AT. Not-Aus-Schalter im Fahrerhaus. full service history
First registration	14.03.2022
Mileage	291.200 km
Emission level	6
Engine power	390/530 kW/PS
Total weight	18.000 kg
Kerb weight	8.050 kg
Payload	9.950 kg
Wheelbase	3.700 mm
Height of edge of trailer tray	1.220 mm
Suspension	Air suspension
Operator's cab	Bigspace

Equipment

- 1G2 12-gear transmission automatic
- A1A Front axle with air suspension
- A1D Front axle 8.0 t
- B1B Electronic braking system with ABS and ASR
- B2A Disk-brakes front- and rearaxle
- B2X Parking brake, electronic
- B3K Secondary oil retarder
- C1W Wheelbase 3.700 mm
- C7T integral rear
- C8Z Aerodynamic side trim
- D1C Driver's suspension seat comfort
- D1N Passenger seat feature
- D3B Comfortable bed, below
- D3M Mattress, Premium Comfort, below
- D3S Leather upholstery, driver's seat
- D4Q Shaving mirror
- D4S Electric sun blind, 1-part
- D4T Curtain across bed
- D4Y Sun blind, side, driver's side
- D5F LED ambient lighting, drive and live
- D6C Electric parking air conditioner
- D6G automatic climate control
- D6I Residual heat
- D6M Hot water heater, cab
- D7A Thermal insulation in addition
- D7J Drawers under bed
- D7R Storage flaps over front window
- D8M Sliding / tilt sunroof electric, glass version
- D8X Seat base, lowered by 40 mm
- D9A Pre-fitting comfort bed, top, wide

E3R Power Socket 24 V / 25 A, front passenger footwell
E4B Interface, fleet management system FMS
E5V ADR type class FL, including EX / II, EX / III and AT
E6A Trailer socket 24V, 15-pin
E7F Cable remote control for air suspension
E9I Provision switch, lift axle semitrailer / trailer
F0T Mercedes star lit
F1H BigSpace cab 2.50 m wide, flat bottom
F1R Cab long
F2H Cab width 2.50 m
F2P Cab, height 765 mm top
F3C Cab suspension comfort with air suspension,
F4X Storage compartment outside flap left
F4Y Storage compartment outer flap, right
F4Z f5b
F5B Air deflectors, Snap, with cab side deflectors
F5L Sun visor, exterior, transparent
F6R Air horns, cab roof
F8E Locking system with central locking
F8F comfort Lock
F8V Light sensor
F8W Rain sensor
G0K Driving program economy / power
G0T Predictive Powertrain Control (PPC)
G5G Mercedes PowerShift 3
H16 Driver's seat heating
I4A 4x2 wheel formula
I6X Air suspension, rear axle
J2J Sound-System
J2U Navigation system
J3U Requirement FleetBoard Manager App
J3V Truck Data Center 7
J3Z Axle load measuring device
J6C Multimedia cockpit, interactive
J9D Pre-installation for toll collection
K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu
L1C LED-daytime running lights
L1D Automatic high / low beam and cornering light
L1G LED headlights
L1H Fog lamps, halogen
L1P LED taillights
L1W Indicadores LED en firma luminosa
L3A Spotlight, below
L3Z Headlight washers
M3E Motor OM471, R6, 12.8 l, 390 kW (530 hp) 2600 Nm
M4X Engine version Euro 6, E
M5B 2nd generation engine OM471
M5V High Performance Engine Brake
N2E NA MB 131-2c, pump
O1Y Steering, direct
O3C Safety Pack
O3I Sight Package, with LED headlight
O7L Chrome package, interior
O7T ADR Package

O7U Climate Package
O8I Economy Package
O8L Comfort Package
Q8E Towing hitch rear
R2Y Alloy Rims 9:00 X 22.5
R5E Alloy Rims 11.75 X 22.5, VA
S1D Stability Rules Wizard
S1H Lane keeping assistant
S1I Distance Keeping Assist
S1L Alertness assistant
S1O Traffic sign assistant
S1W Active Brake Assist 5
S1Y Tire pressure monitoring system
S3A Airbag, driver
S5Z cruise control
U1W AdBlue pipes, water-heated
V2B Actros model generation 5
W0L Weight variant 18.0 t (8.0 t / 13.0 t)
Y1X Refrigerator, in drawers, under the bed
Z1H EBS
Z3Y Metallic-Lack
Z5M PTO, simply
Z99 Vehicle without sparewheel

Legal notice: The details of this offer are subject to change.
Subject to prior sale. For sale to businesses only.