

Vehicle-No.: 506006

**Mercedes-Benz 4163 LS ACTROS 8X4/4
heavy load tractor**
Euro 96.500,00 + Mwst.
AVG Trucks GmbH

Gwinnerstraße 36

60388 Frankfurt/M

Telephone: **+49 (0) 69-942138-0**

Fax: **+49 (0) 69-942138-38**
info@avg-trucks.de
<http://www.avg-trucks.de>

First registration	04.06.2018
Mileage	234.400 km
Emission level	6
Engine power	460/626 kW/PS
Total weight	41.000 kg
Kerb weight	13.575 kg
Payload	27.425 kg
Wheelbase	3.900 mm
Height of edge of trailer tray	1.420 mm
Suspension	parabolic/air
Operator's cab	GigaSpace

Equipment

1AV Trailing front-axle steered
A1E Front axle 9,0 t
A2G Rear axle, crown wheel 300, planets, 13.4 t
A6A Final drive ratio i = 4.571
B1B Electronic braking system with ABS and ASR
B2A Disk-brakes front- and rearaxle
B2Z Parking brake, additionally on the front axle
C1Z Wheelbase 3.900 mm
C6Q Anti roll bar front
D0A leather Steering Wheel
D0C Interior concept style line
D0U Smoke detector, in the driver's cab
D1C Driver's suspension seat comfort
D1P Passenger suspension seat, comfort
D3A Comfort Bed, top, width, height-adjustable
D3B Comfortable bed, below
D3M Mattress, Premium Comfort, below
D3N Top mattress, Premium Comfort
D4T Curtain across bed
D4X 2-piece electric sunblind, windscreen
D4Z Sun blind side, driver and passenger side
D5B Ambient lighting
D6C Electric parking air conditioner
D6G automatic climate control
D6I Residual heat
D6M Hot water heater, cab
D7A Thermal insulation in addition
D7J Drawers under bed
D7N Flexible shelving system for filing through front window
D7V Table on the passenger side
D8M Sliding / tilt sunroof electric, glass version

E3R Power Socket 24 V / 25 A, front passenger footwell
E3S Socket 24 V / 15 A. side wall shelf right
E4W Traction, speed limit 30 km / h
E6Y Reversing alarms combined with hazard lights
E7F Cable remote control for air suspension
E86 Nato socket
E9G Preparation for electrical devices
F0T Mercedes star lit
F1J GigaSpace cab 2.30 m wide, flat floor
F1R Cab long
F2H Cab width 2.50 m
F2P Cab, height 765 mm top
F3C Cab suspension comfort with air suspension,
F3Y Cab tilting electrohydraulic
F4X Storage compartment outside flap left
F4Y Storage compartment outer flap, right
F4Z f5b
F5L Sun visor, exterior, transparent
F6R Air horns, cab roof
F8E Locking system with central locking
F8F comfort Lock
F8X Rain / light sensor
G3Y Turbo retarder clutch
G5G Mercedes PowerShift 3
H16 Driver's seat heating
I4L Wheel formula 8x4/4
I6X Air suspension, rear axle
J2H Multimedia radio touch
J2K Speaker, 2-way system
J2M Aux-in, a side wall shelf, right
J3Z Axle load measuring device
J9D Pre-installation for toll collection
J9N Preparation for Truck Data Center 6 (DTCO)
K3V AdBlue tank 60 liters
K56 900-liter tank
L1A Bi-Xenon headlights
L1N Fog lights, LED-Daytime running lights, cornering lights
L1P LED taillights
L3A Spotlight, below
L3Z Headlight washers
M3V Motor OM473, R6, 15,6 l, 460 kW (625 hp) 3000 Nm
M5M Engine version Euro 6, with OBD-C
M5T Turbocompound
M5V High Performance Engine Brake
N6Z Transmission oil cooling
N7I Motor output back, b, flange 100 mm, 650 Nm
O7X Sight Package
Q1Z Front spring 10.5 t, 3-leaf
Q4L Fifth wheel height, H = 190 mm
RL3 ALU light metal rims
S1H Lane keeping assistant
S1L Alertness assistant
S1M Active Brake Assist 3
S5Z cruise control
U1W AdBlue pipes, water-heated

V6P Heavy duty tractor unit
X67 Step and platform behind cab
Y1X Refrigerator, in drawers, under the bed
Y21 Storage box
Z1H EBS
Z3Y Metallic-Lack
Z99 Vehicle without sparewheel
Legal notice: The details of this offer are subject to change. Subject to prior sale. For sale to businesses only.