

Vehicle-No.: 402012



Mercedes-Benz 1851 LS ACTROS tractor for semi-trailer Lowliner

AVG Trucks GmbH

Gwinnerstraße 36 60388 Frankfurt/M

Telefone: +49 (0) 69-942138-0 Fax: +49 (0) 69-942138-38

info@avg-trucks.de http://www.avg-trucks.de

Euro 92.500,00 + Mwst.

Contract structure	adjustfifth wheel pneumatisch. Aufsattelhöhen 960 mm und 1.140 mm. Lowliner full service history
First registration	08.03.2022
Mileage	148.400 km
Emission level	6
Engine power	375/510 kW/PS
Total weight	18.000 kg
Kerb weight	8.220 kg
Payload	9.780 kg
Wheelbase	3.700 mm
Height of edge of trailer tray	960 mm
Suspension	Air suspension
Operator's cab	Bigspace

Equipment

1G2 12-gear transmission automatic

A1A Front axle with air suspension

A1D Front axle 8.0 t

B1B Electronic braking system with ABS and ASR

B2A Disk-brakes front- and rearaxle

B2X Parking brake, electronic

B3K Secondary oil retarder

C1W Wheelbase 3.700 mm

C7T integral rear

C8Z Aerodynamic side trim

D0A leather Steering Wheel

D1C Driver's suspension seat comfort

D1N Passenger seat feature

D3B Comfortable bed, below

D3M Mattress, Premium Comfort, below

D4Q Shaving mirror

D4S Electric sun blind, 1-part

D4T Curtain across bed

D4Y Sun blind, side, driver's side

D5F LED ambient lighting, drive and live

D50 StyleLine

D6C Electric parking air conditioner

D6G automatic climate control

D6I Residual heat

D6M Hot water heater, cab

D7A Thermal insulation in addition

D7J Drawers under bed

D7R Storage flaps over front window

D7Y Luggage rack, on top of the rear wall

D8M Sliding / tilt sunroof electric, glass version

D8X Seat base, lowered by 40 mm
E3D Socket 24 V / 15 A. side wall shelf left
E3R Power Socket 24 V / 25 A, front passenger footwell
E4B Interface, fleet management system FMS
E5K MirrorCam counter, by the bed
E6A Trailer socket 24V, 15-pin
E6Y Reversing alarms combined with hazard lights
E7F Cable remote control for air suspension
F0T Mercedes star lit
F1H BigSpace cab 2.50 m wide, flat bottom
F1R Cab long
F2H Cab width 2.50 m
F2P Cab, height 765 mm top
F3C Cab suspension comfort with air suspension,
F4X Storage compartment outside flap left
F4Y Storage compartment outer flap, right
F4Z f5b
F5B Air deflectors, Snap, with cab side deflectors
F5L Sun visor, exterior, transparent
F6R Air horns, cab roof
F6T MirrorCam
F8E Locking system with central locking
F8F comfort Lock
F8V Light sensor
F8W Rain sensor
G0K Driving program economy / power
G0T Predictive Powertrain Control (PPC)
G5G Mercedes PowerShift 3
H16 Driver's seat heating
11U Tires 295/60 R 22.5 rear axle
12I Tires 355/50 R22, 5 Tavla / NLA
I4A 4x2 wheel formula
16V Air suspension, rear axle Lowliner
J1S VDO Tachograph manufacturer
J2J Sound-System
J2U Navigation system
J3U Requirement FleetBoard Manager App
J3V Truck Data Center 7
J3Z Axle load measuring device
J6C Multimedia cockpit, interactive
J6Y Remote online
J9D Pre-installation for toll collection
K1E Tank 390 liter
K3V AdBlue tank 60 liters
K6C Tank 290 liters
L1C LED-daytime running lights
L1D Automatic high / low beam and cornering light
L1H Fog lamps, halogen
L3A Spotlight, below
M3D Motor OM 471, R6, 12.8 I, 375 kW (510 hp) 2500 Nm
M4X Engine version Euro 6, E
M5B 2nd generation engine OM471
M5V High Performance Engine Brake
O1Y Steering, direct
O3C Safety Pack

O7U Climate Package
O8L Comfort Package
S1D Stability Rules Wizard
S1H Lane keeping assistant
S1I Distance Keeping Assist
S1L Alertness assistant
S10 Traffic sign assistant
S1W Active Brake Assist 5
S1X Active Sideguard Assist
S3A Airbag, driver
S5Z cruise control
U1W AdBlue pipes, water-heated
V2B Actros model generation 5
X3O Mercedes-Benz OnRoadService
X3W Mercedes-Benz ATS-Warranty 3 years/450000 km
Y1X Refrigerator, in drawers, under the bed
Z1H EBS
Z99 Vehicle without sparewheel
Level and to The details of this office are achieved as heavy that to release to be a few and the business and

Legal notice: The details of this offer are subject to change.

 Subject to prior sale. For sale to businesses only.

© 2005 AVG Trucks GmbH